

Introduction to Theoretical Computer Science T
 Tutorial 8, 8 to 13 November
 Problems

Homework problems:

1. Design pushdown automata recognising the following languages:

- (a) $\{w \in \{a, b\}^* \mid w = w^R\}$;
 (b) The language generated by grammar

$$S \rightarrow (S) \mid S, S \mid a$$

2. Show, using the pumping lemma for context-free languages, that the language

$$\{ww \mid w \in \{a, b\}^*\}$$

is not context-free. (*Hint:* Consider strings of the form $a^n b^n a^n b^n$.)

3. Design a Turing machine that recognises (“decides”) the language

$$\{1^n 01^n \mid n \geq 0\}.$$

Show the computation sequences (“runs”) of your machine on inputs 11011 and 1011.

Demonstration problems:

4. Prove that the class of context-free languages is not closed under intersections and complements. (*Hint:* Represent the language $\{a^k b^k c^k \mid k \geq 0\}$ as the intersection of two context-free languages.)

5. Design a pushdown automaton corresponding to the grammar $G = (V, \Sigma, P, S)$, where

$$\begin{aligned} V &= \{S, (,), *, \cup, \emptyset, a, b\} \\ \Sigma &= \{(,), *, \cup, \emptyset, a, b\} \\ P &= \{S \rightarrow (SS), S \rightarrow S^*, S \rightarrow (S \cup S), \\ &\quad S \rightarrow \emptyset, S \rightarrow a, S \rightarrow b\} \end{aligned}$$

6. Design a grammar corresponding to the pushdown automaton $M = (Q, \Sigma, \Gamma, \Delta, s, F)$, where

$$\begin{aligned} Q &= \{s, q, f\}, \quad \Sigma = \{a, b\}, \quad \Gamma = \{a, b, c\}, \quad F = \{f\}, \\ \Delta &= \{((s, e, e), (q, c)), ((q, a, c), (q, ac)), ((q, a, a), (q, aa)) \\ &\quad ((q, a, b), (q, e)), ((q, b, c), (q, bc)), ((q, b, b), (q, bb)) \\ &\quad ((q, b, a), (q, e)), ((q, e, c), (f, e))\} \end{aligned}$$