

**Tutorial problems**

1. Proof the following claims using semantic tableaux.

- a)  $\models \forall x(P(x) \leftrightarrow \neg Q(x)) \leftrightarrow \neg \exists x(P(x) \leftrightarrow Q(x))$
- b)  $\{\forall x \forall y(R(x, y) \rightarrow R(y, x))\} \not\models \forall x R(a, x)$
- c)  $\{\forall x \neg(A(x) \leftrightarrow B(x)), \forall y A(y) \vee \forall y \neg A(y)\} \models \forall z B(z) \vee \forall z \neg B(z)$

2. Use semantic tableaux to see whether the following claims holds.

- a)  $\models \forall x \exists y R(x, y) \rightarrow (\forall y (\neg S(y) \rightarrow \neg \exists x R(x, y)) \rightarrow \exists x S(x))$
- b)  $\{\exists x \exists y P(x, y), \forall x \forall y (P(x, y) \rightarrow Q(x, y))\} \models \exists x Q(x, x)$

3. We define predicates  $L(x, y)$  (there is a flight from city  $x$  to city  $y$ ) and  $Y(x, y)$  (there is a connection from city  $x$  to city  $y$ ) in following way:

$$\begin{aligned} & \forall x \forall y (L(x, y) \rightarrow L(y, x)) \\ & \forall x \forall y (L(x, y) \rightarrow Y(x, y)) \\ & \forall x \forall y \forall z (Y(x, y) \wedge L(y, z) \rightarrow Y(x, z)) \end{aligned}$$

Write a database which states that there is a flights from Helsinki to London, Rovaniemi and New York, that there is a flight from New York to Paris and that there is a flight from Petersburg to Berlin. Use semantic tableaux to prove that there is a connection between Rovaniemi and New York.

**Demonstration problems**

4. Use semantic tableaux to see whether the following claims holds.

- a)  $\{\forall x \exists y (P(x) \rightarrow Q(y)), \forall x P(x)\} \models \forall x Q(x)$
- b)  $\{\forall x \forall y (\exists z (R(x, z) \wedge R(z, y)) \rightarrow R(x, y)), R(a, b), R(b, a)\} \models R(a, a)$
- c)  $\models \forall x \exists y R(x, y) \rightarrow (\forall y (\neg S(y) \rightarrow \neg \exists x R(x, y)) \rightarrow \exists x S(x))$

**5.** We know that

- (i) All guilty persons are liars.
- (ii) At least one of the accused is also a witness.
- (iii) No witness lies.

Use semantic tableaux to prove that all accused are not guilty.

**6.** We know that:

- 1) If a brick is on another brick, then it is not on the table.
- 2) Every brick is either on the table or on another brick.
- 3) No brick is on a brick which is also on some other brick.

Use semantic tableaux to prove that if a brick is on another brick, the other brick is on the table.