
TCS example slides

Taneli Saastamoinen

`tsaastam@tcs.hut.fi`

First page

This is the first actual page of the slide show.
You can include pictures if you like:



HELSINKI UNIVERSITY OF TECHNOLOGY
Laboratory for Theoretical Computer Science

Contents

Contents, using the fancy `itemstep` environment:

- Some math examples

Contents

Contents, using the fancy `itemstep` environment:

- Some math examples
- Some misc. examples

Contents

Contents, using the fancy `itemstep` environment:

- Some math examples
- Some misc. examples
 - Items can be nested, too

Contents

Contents, using the fancy `itemstep` environment:

- Some math examples
- Some misc. examples
 - Items can be nested, too
- Some more examples

Contents

Contents, using the fancy `itemstep` environment:

- Some math examples
- Some misc. examples
 - Items can be nested, too
- Some more examples
- Final words

Some math examples

- You should already know how to use \LaTeX
- $\forall F : (F \text{ is a } \text{\LaTeX} \text{ formula}) \rightarrow (F \text{ works as usual})$
- That is, all the math stuff works as it should

Some math examples

- You should already know how to use \LaTeX
- $\forall F : (F \text{ is a } \text{\LaTeX} \text{ formula}) \rightarrow (F \text{ works as usual})$
- That is, all the math stuff works as it should
- For example, the *escape velocity*[1] is defined as

$$v_e = \sqrt{\frac{2G(m+M)}{r}},$$

where $G \approx 6.6722 \times 10^{-11} \text{Nm}^2\text{kg}^{-2}$ is the *gravitational constant*

Next part

Some misc. examples

1. The enumerate environment works

Some misc. examples

1. The enumerate environment works

Text and pictures can be added and deleted.

HELSINKI UNIVERSITY OF TECHNOLOGY
Laboratory for Theoretical Computer Science



Some misc. examples

1. The enumerate environment works

Text and pictures can be added and deleted.

This can be useful sometimes.

HELSINKI UNIVERSITY OF TECHNOLOGY
Laboratory for Theoretical Computer Science



Some misc. examples

1. The enumerate environment works

Text and pictures can be added and deleted.

This can be useful sometimes.

Stuff can also be made appear only on specific slides.



HELSINKI UNIVERSITY OF TECHNOLOGY
Laboratory for Theoretical Computer Science

Some misc. examples

1. The enumerate environment works

Text and pictures can be added and deleted.

This can be useful sometimes.

Of course, these features can also be abused.



HELSINKI UNIVERSITY OF TECHNOLOGY
Laboratory for Theoretical Computer Science

Some more examples

- Hyperlinks can also be used

Some more examples

- Hyperlinks can also be used
- Internal links work as well

Some more examples

- Hyperlinks can also be used
- Internal links work as well
- Most options are configurable either in the `.tex` file or the `PPRtcs.sty` style definition file

Final words

Please see the Prosper page for more information.

References

- [1] H. Young, R. Freedman: *University Physics*, 11th ed. Pearson Addison Wesley 2003.