

Homework problems:

1. Consider the following context-free grammars:

$$\begin{array}{ll} \text{(a)} & A \rightarrow aAcc \mid B \\ & B \rightarrow bBc \mid \varepsilon \end{array} \qquad \text{(b)} \quad S \rightarrow aSb \mid SS \mid \varepsilon$$

Give a derivation for the sentence $abccc$ according to grammar (a), and a derivation for the sentence $aababbab$ according to grammar (b). Describe the language generated by each grammar verbally as simply as you can.

2. A *palindrome* is a string w such that $w = w^R$. (E.g. “MADAMIMADAM”, “ABLE-WASIEREISAWELBA,” cf. <http://www.palindromes.org/>.) Consider the set of palindromes over the alphabet $\{a, b\}$:

$$\text{PAL} = \{w \in \{a, b\}^* \mid w = w^R\}.$$

- (a) Prove that this language is not regular.
(b) Design a context-free grammar generating the language.
3. Design a context-free grammar corresponding to the following XML/DTD description:

```
<!DOCTYPE Book [  
  <!ELEMENT Book (Title, Chapter+)>  
  <!ATTLIST Book Author CDATA #REQUIRED>  
  <!ELEMENT Title (#PCDATA)>  
  <!ELEMENT Chapter (#PCDATA)>  
  <!ATTLIST Chapter id ID #REQUIRED>  
>
```

(This example appears on the WWW page <http://www.rpbouret.com/xml/xmlDTD.htm>, which also contains further explanations regarding its interpretation and the DTD notation in general. Context-free grammars and the DTD notation do not correspond to each other quite one-to-one, so solving the problem may require some independent interpretation of the conventions used.)

Demonstration problems:

4. *Pattern expressions* are a generalisation of regular expression used e.g. in some text editing tools of UN*X-type operating systems. In addition to the usual regular expression constructs, a pattern expression may contain string variables, inducing the constraint that any two appearances of the same variable must correspond to the same substring. Thus e.g. aXb^*Xa and $aX(a \cup b)^*YX(a \cup b)^*Ya$ are pattern expressions over the alphabet $\{a, b\}$. The first one of these describes the language $\{awb^nwa \mid w \in \{a, b\}^*, n \geq 0\}$. Prove that pattern expressions are a proper generalisation of regular expressions, i.e. that pattern expressions can be used to describe also some nonregular languages.

PLEASE TURN OVER

5. Prove that the language $\{w \in \{a, b\}^* \mid w \text{ contains equally many } a\text{'s and } b\text{'s}\}$ is not regular, and design a context-free grammar generating it.
6. Design a context-free grammar describing the syntax of simple “programs” of the following form: a program consists of nested **for** loops, compound statements enclosed by **begin-end** pairs and elementary operations **a**. Thus, a “program” in this language looks something like this:

```
a;  
for 3 times do  
begin  
  for 5 times do a;  
  a; a  
end.
```

For simplicity, you may assume that the loop counters are always integer constants in the range $0, \dots, 9$.