

On the Computational Complexity of Binary and Analog Symmetric Hopfield Nets

Jiří Šíma*

Department of Theoretical Computer Science,
Institute of Computer Science,
Academy of Sciences of the Czech Republic,
Pod vodárenskou věží 2, 182 07 Prague 8, Czech Republic,
sima@cs.cas.cz

Pekka Orponen, Teemu Antti-Poika†

Department of Mathematics, University of Jyväskylä,
P.O. Box 35, FIN-40351 Jyväskylä, Finland,
{orponen|anttipoi}@math.jyu.fi

*Research supported by GA AS CR Grant No. B2030007.

†Research supported by Academy of Finland Grant No. 37115/96.

Abstract

We investigate the computational properties of finite binary- and analog-state discrete-time symmetric Hopfield nets. For binary networks, we obtain a simulation of convergent asymmetric networks by symmetric networks with only a linear increase in network size and computation time. Then we analyze the convergence time of Hopfield nets in terms of the length of their bit representations. Here we construct an analog symmetric network whose convergence time exceeds the convergence time of any binary Hopfield net with the same representation length. Further, we prove that the *MIN ENERGY* problem for analog Hopfield nets is NP-hard, and provide a polynomial time approximation algorithm for this problem in the case of binary nets. Finally, we show that symmetric analog nets with an external clock are computationally Turing universal.

1 Introduction

In his 1982 paper (Hopfield, 1982), John Hopfield introduced a very influential associative memory model which has since come to be known as the discrete-time Hopfield (or symmetric recurrent) network. The fundamental characteristic of this model is its well-constrained convergence behavior as compared to arbitrary asymmetric networks. Part of the appeal of Hopfield nets also stems from their connection to the much-studied Ising spin glass model in statistical physics (Barahona, 1982), and their natural hardware implementations using electrical networks (Hopfield, 1984) or optical computers (Farhat et al., 1985). Hopfield originally proposed that this type of networks could be used for removing noise from large binary patterns (Chiueh and Goodman, 1988; Gold, 1986; Park et al., 1999; Pawlicki et al., 1988), but they have also been applied to, e.g. the fast approximate solution of combinatorial optimization problems (Hopfield and Tank, 1985; Aarts and Korst, 1989; Liao, 1999; Mańdziuk, 2000; Sheu et al., 1991; Wu and Tam, 1999). Because of their simple structure, Hopfield nets are also often used as a reference model for investigating new analytical or computational ideas, in the same way as Ising spin systems are used in statistical physics, or Turing machines in theoretical computer science. Although the basic Hopfield model *per se* is of limited practical applicability, it has inspired such other important neural network architectures as the

Binary Associative Memory (BAM) (Kosko, 1988), and Boltzmann machines and their further stochastic variations (Ackley et al., 1985; Haykin, 1999; Rojas, 1996). The accumulated knowledge concerning Hopfield nets has often been an essential prerequisite for understanding the capabilities of these other models. (For instance, the convergence behavior of the BAM model was analyzed in (Kosko, 1988) along the lines first established for the Hopfield model in (Hopfield, 1982).)

In the present paper we investigate a number of issues in the computational analysis of Hopfield networks, complementing the existing literature in this area (Floréen and Orponen, 1994; Parberry, 1994; Siegelmann, 1999; Siu et al., 1995; Wiedermann, 1994). After a brief review of the basic definitions in Section 2, our first result in Section 3 establishes a size- and time-optimal (up to constant factors) simulation of arbitrary discrete-time binary-state neural networks (with in general asymmetric interconnections) by symmetric binary-state Hopfield nets.

It is a fundamental property of symmetric Hopfield nets that their computations always lead to a stable network state (Hopfield, 1982), or possibly an oscillation between two different network states when the neurons are updated in parallel (Goles et al., 1985; Poljak and Šura, 1983). On the other hand general asymmetric networks can have arbitrarily complicated limit behavior. Thus the asymptotic dynamics of symmetric Hopfield nets are considerably more constrained than those of arbitrary networks. However, it was established in (Orponen, 1996) that when only *convergent* computations are considered, an arbitrary network of n discrete-time binary neurons can be simulated by a Hopfield net with $O(n^2)$ symmetrically interconnected binary units. In Section 3 we strengthen this result by showing that in fact a convergent computation that takes t steps on a general network of n neurons can be simulated in $4t$ steps on a Hopfield network consisting of only $6n + 2$ symmetrically interconnected units.

This tight converse to Hopfield’s (Hopfield, 1982) convergence theorem thus shows that in binary networks it holds in a quite strong sense that “convergence \equiv symmetry”, i.e. not only do all symmetric networks converge, but also all convergent computations can be implemented efficiently in symmetric networks. The result also has some practical implications, because it guarantees that recurrent networks with arbitrary asymmetric interconnections can always be replaced, without much overhead in network size or computation

time, by symmetric networks with their guaranteed convergence properties, and in some technologies more efficient implementations.

In Section 4 we study the convergence *time* of both binary- and analog-state Hopfield networks in terms of the length of their bit representations. This is to our knowledge the first analysis that takes into account the actual representation size of the networks. We obtain the curious result that there exist analog-state symmetric networks whose convergence time is greater than that of any binary-state symmetric network with the same representation size. The result shows that although analog-state networks with limited-precision states are not computationally more *powerful* than binary-state ones (Casey, 1996; Maass and Orponen, 1998), they may still be more *efficient*.

In Section 5 we investigate the NP-complete *MIN ENERGY* or *GROUND STATE* problem of finding a network state with minimal energy for a given symmetric network. (For precise definitions, see Section 2.) This problem forms the basis of all applications of Hopfield nets to combinatorial optimization (Hopfield and Tank, 1985; Aarts and Korst, 1989; Liao, 1999; Mańdziuk, 2000; Sheu et al., 1991; Wu and Tam, 1999), and is also of importance in the Ising spin glass model (Barahona, 1982). In Subsection 5.1 we derive a new polynomial time *approximation algorithm* for this problem in the case of binary-state networks. In Subsection 5.2 we provide the first rigorous proof that the *MIN ENERGY* problem is NP-hard also for *analog-state* Hopfield nets, which is the model actually used in practical optimization applications.

Section 6 deals with the computational power of finite analog-state recurrent neural networks — a topic that has attracted considerable attention in recent years (Siegelmann, 1999). At a general level it is known that finite asymmetric analog networks are computationally universal, i.e. equivalent to Turing machines (Siegelmann and Sontag, 1995), but that any amount of analog noise reduces their computational power to that of finite automata (Casey, 1996; Maass and Orponen, 1998).

For reasons discussed more fully in Section 6, one cannot reasonably expect finite *symmetric* analog networks to be computationally universal. However, we show that universality can be achieved even in symmetric networks, provided that they are augmented with an external oscillator that produces an appropriately sequenced infinite stream of binary pulses. Thus we obtain a full characterization of the computational power of finite analog-state discrete-time networks in the form of “Turing universality \equiv asymmetric network \equiv sym-

metric network + oscillator”. Moreover, we give in Section 6 necessary and sufficient conditions that the external oscillator needs to satisfy in order to qualify for this equivalence.

An extended abstract of this paper appeared in (Šíma et al., 1999).

2 Basic Notions

A finite *discrete recurrent neural network* consists of n simple computational *units* or *neurons*, indexed as $1, \dots, n$, which are connected into a generally cyclic oriented graph or *architecture* in which each edge (i, j) leading from neuron i to j is labeled with an integer *weight* $w(i, j) = w_{ji}$. The absence of a connection within the architecture corresponds to a zero weight between the respective neurons. Special attention will be paid to *Hopfield (symmetric) networks*, whose architecture is an undirected graph with symmetric weights $w(i, j) = w(j, i)$ for every i, j .

We shall mostly consider the *synchronous* computational dynamics of the network, working in *fully parallel mode*, which determines the evolution of the *network state* $\mathbf{y}^{(t)} = (y_1^{(t)}, \dots, y_n^{(t)}) \in \{0, 1\}^n$ for all discrete time instants $t = 0, 1, \dots$ as follows. At the beginning of the computation, the network is placed in an *initial state* $\mathbf{y}^{(0)}$ which may include an external input. At discrete time $t \geq 0$, each neuron $j = 1, \dots, n$ collects its binary *inputs* from the *states (outputs)* $y_i^{(t)} \in \{0, 1\}$ of incident neurons i . Then its integer *excitation* $\xi_j^{(t)} = \sum_{i=0}^n w_{ji} y_i^{(t)}$ ($j = 1, \dots, n$) is computed as the respective weighted sum of inputs including an integer *bias* w_{j0} which can be viewed as the weight of the formal constant unit input $y_0^{(t)} = 1$, $t \geq 0$. At the next instant $t + 1$, an *activation function* σ is applied to $\xi_j^{(t)}$ for all neurons $j = 1, \dots, n$ in order to determine the new network state $\mathbf{y}^{(t+1)}$ as follows:

$$y_j^{(t+1)} = \sigma \left(\xi_j^{(t)} \right) \quad j = 1, \dots, n \quad (1)$$

where a *binary-state* neural network employs the *hard limiter* (or *threshold*) activation function

$$\sigma(\xi) = \begin{cases} 1 & \text{for } \xi \geq 0 \\ 0 & \text{for } \xi < 0. \end{cases} \quad (2)$$

Alternative computational dynamics are possible in Hopfield nets. For example, under *sequential mode* only one neuron updates its state according to

(1) at each time instant while the remaining neurons do not change their outputs. Or we shall also deal with the finite *analog-state* discrete-time recurrent neural networks which, instead of the threshold activation function (2), employ some continuous sigmoid function, e.g. the *saturated-linear* function

$$\sigma(\xi) = \begin{cases} 1 & \text{for } \xi > 1 \\ \xi & \text{for } 0 \leq \xi \leq 1 \\ 0 & \text{for } \xi < 0. \end{cases} \quad (3)$$

Hence the states of analog neurons are real numbers within the interval $[0, 1]$, and similarly the weights (including biases) are allowed to be reals.

The fundamental property of symmetric nets is that on their state space a bounded Liapunov, or ‘energy’ function can be defined, whose values are properly decreasing along any non-constant computation path (*productive* computation) of such a network. For example, consider a sequential computation of a binary symmetric Hopfield net with, for simplicity, zero biases $w_{j0} = 0$ and feedbacks $w_{jj} = 0$ (negative feedbacks are actually not allowed for sequential Hopfield nets to have a Liapunov property), and without loss of generality (Parberry, 1994) also assume non-zero excitations $\xi_j^{(t)} \neq 0$, $j = 1, \dots, n$. Then one can associate an *energy* with state $y^{(t)}$, $t \geq 0$, as follows:

$$E(y^{(t)}) = E(t) = -\frac{1}{2} \sum_{j=1}^n \sum_{i=1}^n w_{ji} y_i^{(t)} y_j^{(t)}. \quad (4)$$

Hopfield (Hopfield, 1982) showed that for this energy function, $E(t) \leq E(t-1) - 1$ for every $t \geq 1$ of a productive computation. Moreover, the energy function is bounded, i.e. $|E(t)| \leq W$, where

$$W = \frac{1}{2} \sum_{j=1}^n \sum_{i=1}^n |w_{ji}| \quad (5)$$

is called the *weight* of the network. Hence, the computation must converge to a stable state within time $O(W)$. An analogous result can be shown for parallel updates, where a cycle of length at most two different states may appear (Goles et al., 1985; Poljak and Sira, 1983).

3 An Optimal Simulation of Asymmetric Networks

The computational power of symmetric Hopfield nets is properly less than that of asymmetric networks due to their different asymptotic behavior. Because

of the Liapunov property, Hopfield networks always converge to a stable state (or a cycle of length two for parallel updates), whereas asymmetric networks can have limit cycles of arbitrary length. However, it was shown in (Orponen, 1996) that this is the *only* feature that cannot be reproduced, in the sense that any *converging* fully parallel computation by a network of n discrete-time binary neurons, with in general asymmetric interconnections, can be simulated by a Hopfield net of size $O(n^2)$. More precisely, given an asymmetric network to be simulated, there exists a subset of neurons in the respective Hopfield net whose states correspond to the original convergent asymmetric computation in the course of the simulation — possibly with some constant time overhead per each original update. The idea behind this simulation is that each asymmetric edge to be simulated is implemented by a small symmetric subnetwork which receives “energy support” from a symmetric clock subnetwork (a binary counter) (Goles and Martínez, 1989) in order to propagate a signal in the correct direction.

In the context of infinite families of neural networks, which contain one network for each input length (a similar model is used in the study of Boolean circuit complexity (Wegener, 1987)), this simulation result implies that infinite sequences of discrete symmetric networks with a polynomially increasing number of binary neurons are computationally equivalent to (nonuniform) polynomially space-bounded Turing machines. Stated in standard complexity theoretic notation (Balcázar et al., 1995), such sequences of networks thus compute the complexity class PSPACE/poly, or P/poly when the weights in the networks are restricted to be polynomial in the input size (Orponen, 1996).

In the following theorem the construction from (Orponen, 1996) is improved by reducing the number of neurons in the simulating symmetric network from quadratic to *linear* as compared to the size of the asymmetric network; this result is asymptotically optimal. The improvement is achieved by simulating the individual neurons (as opposed to edges, as in (Orponen, 1996)), whose states are updated by means of the clock technique. A similar idea was used for a corresponding continuous-time simulation in (Šíma and Orponen, 2000). Also a quantitatively similar result has been achieved for sequential Hopfield nets with negative feedbacks in (Goles and Matamala, 1996). However, such networks lose the Liapunov property, and thus they can simulate any in general non-convergent asymmetric network relatively easily.

Theorem 1 *Any fully parallel computation by a recurrent neural network of n*




Figure 1: A 3-bit counter network

binary neurons with asymmetric weights, converging within t^* discrete update steps, can be simulated by a Hopfield net with $6n+2$ neurons, converging within $4t^*$ discrete-time steps.

Proof: Observe, first, that any converging computation by an asymmetric network of n binary neurons must terminate within $t^* \leq 2^n$ steps. A basic technique used in our proof is the exploitation of an $(n+1)$ -bit symmetric clock subnetwork (a binary counter) which, using $3n+1$ units being initially in the zero state, produces a sequence of 2^n well-controlled oscillations before it converges. This sequence of clock pulses will be used to drive the underlying simulation of an asymmetric network in the remaining part of the Hopfield net.

The construction of the $(n+1)$ -bit binary counter will be described by induction for n . An example of a 3-bit counter network is presented in Figure 1, where the symmetric connections between neurons are labeled with corresponding weights, and the biases are indicated by the edges drawn without an originating unit. In the sequel the symmetric weights in the Hopfield net will be denoted by w whereas w' denotes the original asymmetric weights.

The induction starts with the least significant counter unit c_0 . Its bias $w(0, c_0) = (5U + 4)n + 1$ is also denoted by B in Figure 1 and the parameter

U is defined as follows:

$$U = \max_{j=1,\dots,n} \sum_{i=0}^n |w'_{ji}|. \quad (6)$$

As it will be seen later this large bias prevents the rest of the network from affecting the counter computation. Neuron c_0 is initially *passive* (i.e. its state is 0). However, at the next time instant c_0 will *fire* or be *active* (i.e. its state is 1) according to (2) since its excitation is positive. Hence, c_0 simply implements counting from 0 to 1.

For the induction step suppose that the counter has been constructed up to the first k ($0 < k < n + 1$) counter bits c_0, \dots, c_{k-1} and denote by V_k the set of all its $n_k = 3(k - 1) + 1$ neurons, including the auxiliary ones labeled a_ℓ, b_ℓ for $\ell = 1, \dots, k - 1$. Then the counter unit c_k is connected to all n_k neurons $v \in V_k$ via unit weights $w(v, c_k) = 1$ which, together with its bias $w(0, c_k) = -n_k$, make c_k to fire if and only if all these units are active. This includes the first k active counter bits c_0, \dots, c_{k-1} which means that counting from 0 to $2^k - 1$ has been accomplished and hence, the next counter bit c_k must fire. In addition, the unit c_k is connected to a_k which is further linked to b_k so that these auxiliary neurons are, one by one, activated after c_k fires. This is implemented by the following weights $w(c_k, a_k) = W_k$, $w(a_k, b_k) = W_k - n_k$, and biases $w(0, a_k) = -1$, $w(0, b_k) = n_k - W_k$ where $W_k > 0$ is a sufficiently large positive parameter whose value will optimally be determined below so that neurons a_k, b_k are not directly influenced by a computation of units from V_k except via c_k .

The neuron a_k resets all the units in V_k to their initial zero states which is consistent with the correct counter computation when c_k fires. For this purpose, a_k is further connected to each $v \in V_k$ via a sufficiently large negative weight $w(a_k, v) < 0$ such that $-w(a_k, v) > 1 + \sum_{u \in V_k \cup \{0\}: w(u, v) > 0} w(u, v) = S_{kv}$ exceeds their mutual positive influence (including the weight $w(c_k, v) = 1$) and its possibly positive bias $w(0, v) > 0$. Thus we can choose the integer weight $w(a_k, v) = -S_{kv} - 1$ less only by 1 than the minus right side of the preceding inequality suggests in order to optimize the weight size. This also determines the minimal value of above-mentioned large positive weight parameter $W_k = 1 - \sum_{v \in V_k} w(a_k, v)$ which makes the state of a_k (similarly for b_k below) independent on the outputs from $v \in V_k$.

Finally, the unit b_k balances the negative influence of a_k on V_k so that the first k counter bits can again count from 0 to $2^k - 1$ but now with c_k being active. This is achieved by the exact weight $w(b_k, v) = -w(a_k, v) - 1$ for each




Figure 2: Symmetric simulation of neuron j

$v \in V_k$ in which $-w(a_k, v)$ eliminates the influence $w(a_k, v)$ of a_k on v and -1 compensates $w(c_k, v) = 1$. Again, neurons $v \in V_k$ cannot reversely affect b_k since their maximal contribution $\sum_{v \in V_k} w(v, b_k) = -n_k - \sum_{v \in V_k} w(a_k, v) = W_k - n_k - 1$ to the excitation of b_k cannot beat its bias $w(0, b_k) = n_k - W_k$. This completes the induction step. It follows from the preceding description that the sizes of integer weights in the counter network are as minimal as this construction allows.

Now, the symmetric clock subnetwork, namely the counter unit c_0 which outputs the state sequence $(0111)^{2^n}$ during the clock operation, will be used to proceed the underlying simulation of an asymmetric network. Note that the corresponding weights in the counter have been chosen sufficiently large so that the clock is not influenced by the subnetwork it drives. In addition, a neuron \bar{c}_0 is added which computes the negation of the c_0 output. Then for each neuron j from the asymmetric network, 3 units p_j, q_j, r_j are introduced in the Hopfield net so that p_j represents the new (current) state $y_j^{(t)}$ of j at time $t \geq 1$ while q_j stores the old state $y_j^{(t-1)}$ of j from the preceding time instant $t-1$, and r_j is an auxiliary neuron realizing the update of the old state. The corresponding symmetric subnetwork simulating one neuron j is depicted in Figure 2. The total number of units simulating the asymmetric network is $3n+1$ (including \bar{c}_0) which, together with the clock size $3n+1$, gives a total of $6n+2$ neurons in the Hopfield net.

At the beginning of the simulation all the neurons in the Hopfield net are passive, except for those units q_j corresponding to the original initially active

neurons j , i.e. $y_j^{(0)} = 1$. Then an asymmetric network update at time $t \geq 1$ is simulated by a cycle of four steps in the Hopfield net as follows.

In the first step, unit c_0 fires and remains active until its state is changed by the clock since its large positive bias makes it independent of all the n neurons p_j . Also the unit \bar{c}_0 fires because it computes the negation of c_0 that was initially passive. At the same time each neuron p_j computes its new state $y_j^{(t)}$ from the old states $y_i^{(t-1)}$, which are stored in the corresponding units q_i . Thus each neuron p_j is connected with units q_i via the original weights $w(q_i, p_j) = w'(i, j)$ and also its bias $w(0, p_j) = w'(0, j)$ is preserved. So far, unit q_j keeps the old state $y_j^{(t-1)}$ due to its feedback.

In the second step, the new state $y_j^{(t)}$ is copied from p_j to r_j , and the active neuron c_0 makes each neuron p_j passive by means of a large negative weight which exceeds the positive influence from units q_i ($i = 1, \dots, n$) including its bias $w(0, p_j)$ according to (6). Similarly, the active neuron \bar{c}_0 erases the old state $y_j^{(t-1)}$ from each neuron q_j by making it passive with the help of a large negative weight which, together with the negative bias, exceeds its feedback and the positive influence from units p_i ($i = 1, \dots, n$). Finally, also neuron \bar{c}_0 becomes passive since c_0 was active.

In the third step, the current state $y_j^{(t)}$ is copied from r_j to q_j since all the remaining incident neurons p_i and \bar{c}_0 are and remain passive due to c_0 being active. Therefore also unit r_j becomes passive.

In the fourth step, c_0 becomes passive and the state $y_j^{(t)}$, being called old from now on, is stored in q_j . Thus the Hopfield net finds itself at the starting condition of the time $t+1$ asymmetric network simulation step, which proceeds in the same way. Altogether, the whole simulation is achieved within $4t^*$ discrete-time steps. \square

4 Convergence Time Analysis

In this section the *convergence time* in Hopfield networks, i.e. the number of discrete updates required before the network converges, will be analyzed. We shall consider only worst case bounds; an average-case analysis can be found in (Komlós and Paturi, 1988). Since a network with n binary neurons has 2^n different states, a trivial 2^n upper bound on the convergence time in symmetric networks of size n holds. On the other hand, the symmetric clock network (Goles and Martínez, 1989) which is used in the proof of Theorem 1

provides an explicit example of a Hopfield net whose convergence time is exponential with respect to n . More precisely, this network yields a $\Omega(2^{n/3})$ lower bound on the convergence time of Hopfield nets, since a $(k + 1)$ -bit binary counter can be implemented using $n = 3k + 1$ neurons.

However, the above-mentioned bounds do not take into account the size of the *weights* in the network. An upper bound of $O(W)$ follows from the characteristics of the energy function (see Section 2), and this estimate can even be made more accurate by using a slightly different energy function (Florén, 1991). This yields a polynomial upper bound on the convergence time of Hopfield nets with polynomial weights. Similar arguments can be used for fully parallel updates.

In the following theorem these results will be translated into convergence time bounds with respect to the length of *bit representations* of Hopfield nets. More precisely, for a binary-state symmetric network which is described within M bits, convergence-time lower and upper bounds $2^{\Omega(M^{1/3})}$ and $2^{O(M^{1/2})}$, respectively will be shown. It is an open problem whether these bounds can be improved. This is an important issue since the convergence-time results for binary-state Hopfield nets can be compared with those for analog-state symmetric networks in which the precision of real weight parameters (i.e. the representation length) plays an important role. For example, in the following theorem we shall also introduce an analog-state version of the symmetric clock network from Theorem 1 whose computation terminates later than that of any other binary-state Hopfield net of the same representation size. To the best of our knowledge, this provides the first known lower bound on the convergence time of analog-state Hopfield nets. A similar result can be achieved even for continuous-time symmetric networks (Šíma and Orponen, 2000). Note also that in this approach we express the convergence time with respect to the *full* descriptonal complexity of the Hopfield net, not just the usual measure of the number of neurons, which captures its computational resources only partially. This suggests that analog Hopfield nets whose parameters are limited in the size may gain efficiency over binary ones.

Theorem 2 *There exist both binary- and analog-state Hopfield nets with encoding size of M bits that converge after $2^{\Omega(M^{1/3})}$ and $2^{\Omega(g(M))}$ updates, respectively, where $g(M)$ is an arbitrary continuous function such that $g(M) = \Omega(M^{2/3})$, $g(M) = o(M)$, and $M/g(M)$ is increasing. On the other hand, any computation of a symmetric binary-state network with a binary representation*

of M bits terminates within $2^{O(M^{1/2})}$ discrete computational steps.

Proof: For the underlying lower bounds the clock network with parameter $B = 1$ from the proof of Theorem 1 can again be exploited. It is sufficient to estimate its representation length. It can be shown by induction on k that the maximum integer weight in the $(k+1)$ -bit counter with $n = 3k+1$ neurons is of order $2^{O(n)}$. This corresponds to $O(n)$ bits per weight which is repeated $O(n^2)$ times, and thus yields at most $M = O(n^3)$ bits in the representation. Hence, the convergence-time lower bound $2^{\Omega(n)}$ of the binary-state clock network can be expressed as $2^{\Omega(M^{1/3})}$.

In the analog-state case, the underlying weights of the clock with the parameter $B = 1$ will further be adjusted as follows. For every analog unit v in the counter network a feedback weight $w(v, v) = 1 + \varepsilon$ is introduced and also each bias is increased by ε except for neuron c_0 whose bias is explicitly set to $w(0, c_0) = \varepsilon$ where $\varepsilon > 0$ is a small (e.g. $\varepsilon < 0.1$) optional parameter controlling the convergence rate of the analog clock network. Now, starting the counter computation at the zero initial state, the state of unit c_0 gradually grows towards saturation at value 1 because of its bias $w(0, c_0) = \varepsilon$ and feedback $w(c_0, c_0) = 1 + \varepsilon$. It can be verified that at the least discrete-time instant greater than $\log(2 - \varepsilon)/\log(1 + \varepsilon)$ its output is greater than $1 - \varepsilon$ which makes the excitation of the next counter unit c_1 positive due to its bias $w(0, c_1) = -1 + \varepsilon$. Now, c_1 starts to grow because of its feedback $w(c_1, c_1) = 1 + \varepsilon$ which shortly completes the saturation of c_0 at 1. This trick of gradual state transition from 0 to 1 is applied repeatedly throughout the analog clock computation by using the introduced feedbacks $1 + \varepsilon$.

It follows that the respective transition for c_0 takes at least $\Omega(1/\log(1+\varepsilon))$ discrete-time steps which, together with the fact that the unit c_0 fires 2^k times before $(k+1)$ -bit clock converges, provides the lower bound $\Omega(2^k/\log(1+\varepsilon)) \geq \Omega(2^{n/3}/\varepsilon)$ on the convergence time of analog symmetric networks with n neurons. Now, we shall express this bound in terms of the size M in bits of the network representation. The length of the integer part of the weight parameter representation excluding fractions ε has already been upper bounded by $O(n^3)$ bits in the above-considered binary-state case. In addition, the biases and feedbacks of the n units include the fraction ε , and taking this into account requires $\Theta(n \log(1/\varepsilon))$ additional bits, say at least $\kappa n \log(1/\varepsilon)$ bits for some constant $\kappa > 0$. By choosing an appropriate $\varepsilon = 2^{-f(n)/(\kappa n)}$ in which f is a continuous increasing function whose inverse is defined as $f^{-1}(\mu) = \mu/g(\mu)$,

where g is an arbitrary function such that $g(\mu) = \Omega(\mu^{2/3})$ (implying $f(n) = \Omega(n^3)$) and $g(\mu) = o(\mu)$, we get $M = \Theta(f(n))$, especially $M \geq f(n)$ from $M \geq \kappa n \log(1/\varepsilon)$. Finally, the convergence time $\Omega(2^{n/3}/\varepsilon)$ can be translated to $\Omega(2^{f(n)/(\kappa n)+n/3}) = 2^{\Omega(f(n)/n)}$ which can be rewritten as $2^{\Omega(M/f^{-1}(M))} = 2^{\Omega(g(M))}$ since $f(n) = \Omega(M)$ from $M = \Theta(f(n))$ and $f^{-1}(M) \geq n$ from $M \geq f(n)$.

On the other hand for the upper bound, consider a binary-state Hopfield network with an M -bit representation that converges after $T(M)$ updates. A major part of this M -bit representation consists of m binary encodings of weights w_1, \dots, w_m of the corresponding lengths M_1, \dots, M_m where $\sum_{r=1}^m M_r = \Theta(M)$. Clearly, there must be at least $T(M)$ different energy levels corresponding to the states visited during the computation. Thus the underlying weights must produce at least $S \geq T(M)$ different sums $\sum_{r \in A} w_r$ for $A \subseteq \{1, \dots, m\}$ where w_r for $r \in A$ agrees with w_{ji} for $y_i = y_j = 1$ in (4). So, it is sufficient to upper bound the number of different sums over m weights whose binary representations form a $\Theta(M)$ -bit string altogether.

Observe that all the $S = 2^m$ sums over subsets of m weights $1, 2, 4, 8, \dots, 2^{m-1}$ are different. At the same time these weights altogether have the least length $m(m+1)/2$ of binary representation over all the weights that generate 2^m different sums. Since the representation length is at most M we get $m = O(M^{1/2})$ upper bound on the number of weights which yields $T(M) \leq 2^{O(M^{1/2})}$. \square

5 The Minimum Energy Problem

In this section we investigate the important *MIN ENERGY* or *GROUND STATE* problem of finding a network state with minimal energy for a given symmetric network. This problem is of special interest, because many hard combinatorial optimization problems have been heuristically solved by minimizing the energy in Hopfield nets (Hopfield and Tank, 1985; Aarts and Korst, 1989; Liao, 1999; Mańdziuk, 2000; Sheu et al., 1991; Wu and Tam, 1999). This issue is also important for the Ising spin glass model in statistical physics (Barahona, 1982).

It follows from the above-mentioned reductions of optimization problems to *MIN ENERGY* that the problem is computationally hard. In particular, for binary networks the decision version of *MIN ENERGY*, i.e. the question whether there exists a network state having an energy less than a prescribed value, is NP-complete (Barahona, 1982). On the other hand, it is known that *MIN*

ENERGY has polynomial time algorithms for binary Hopfield nets whose architectures are planar lattices (Bieche et al., 1980) or planar graphs (Barahona, 1982).

We address here two aspects of the *MIN ENERGY* problem. In Subsection 5.1 we provide a polynomial time approximation algorithm for the problem in the case of binary nets. In Subsection 5.2 we analyze the complexity of the *MIN ENERGY* problem for analog Hopfield nets, which is the model whose continuous-time version is usually used for practical optimizations. Surprisingly, to the best of our knowledge this problem has been unresolved so far. This is possibly because there is a slight technical complication to the issue, related to the fact that unlike binary networks, analog networks can also converge to an interior point of their state space. To prove the NP-hardness result we need to ensure that the minimum energy values of the constructed networks are actually reached close to extremum points of their respective state spaces. Our proof applies to all continuous non-decreasing sigmoidal neuron activation functions of a practical interest.

5.1 Polynomial Time Approximation for Binary Nets

Recall that in the definition (4) of the energy function for binary nets we assumed, for reasons of simplicity, that $w_{jj} = 0$ and $w_{j0} = 0$ for $j = 1, \dots, n$. In addition, without loss of generality (Parberry, 1994), we shall work throughout this section with bipolar states $\{-1, 1\}$ of neurons instead of binary ones $\{0, 1\}$ from (2) where 0 is now replaced by -1 .

Perhaps the most direct and frequently used reduction to *MIN ENERGY* is from the *MAX CUT* problem (see e.g. (Bertoni and Campadelli, 1994)). In *MAX CUT* we are given an undirected graph $G = (V, A)$ with an integer edge cost function $c : A \rightarrow \mathcal{Z}$, and we want to find a *cut* $V_1 \subseteq V$ which maximizes the *cut size*

$$c(V_1) = \sum_{\{i,j\} \in A, i \in V_1, j \notin V_1} c(\{i,j\}) - \sum_{\{i,j\} \in A, c(\{i,j\}) < 0} c(\{i,j\}). \quad (7)$$

Note that the standard *MAX CUT* problem is here generalized by allowing also the negative edge weights that are needed for the opposite reduction from *MIN ENERGY* to *MAX CUT*. Recently, a new randomized approximation algorithm with a high performance guarantee $\alpha = 0.87856$ for this *MAX CUT* formulation has been proposed (Goemans and Williamson, 1995) and later de-

randomized (Mahajan and Ramesh, 1995): a fact which we shall exploit for approximating the *MIN ENERGY* problem. Namely, we shall observe that *MIN ENERGY* can be approximated in a polynomial time within absolute error less than $0.243W$ where W is the network weight (5). For $W = O(n^2)$, e.g. for Hopfield nets with n neurons and constant weights, this result matches the lower bound $\Omega(n^{2-\varepsilon})$ which cannot be guaranteed by any approximate polynomial time *MIN ENERGY* algorithm for every $\varepsilon > 0$ (Bertoni and Campadelli, 1994), unless $P = NP$. In addition, an approximate polynomial time *MIN ENERGY* algorithm with absolute error $O(n/\log n)$ is also known in a special case of Hopfield nets whose architectures are two-level grids (Bertoni et al., 1997).

Theorem 3 *The MIN ENERGY problem for binary Hopfield nets can be approximated in polynomial time within absolute error less than $0.243W$ where W is the network weight (5).*

Proof: We first recall the well-known simple reduction between *MIN ENERGY* and *MAX CUT* problems. For a binary Hopfield network with architecture G and weights $w(i, j)$ we can easily define the corresponding instance $G = (V, A)$; c of *MAX CUT* with edge costs $c(\{i, j\}) = -w(i, j)$ for $\{i, j\} \in A$. We shall show that any cut $V_1 \subseteq V$ of G corresponds to a Hopfield net state $\mathbf{y} \in \{-1, 1\}^n$ where $y_i = 1$ if $i \in V_1$ and $y_i = -1$ for $i \in V \setminus V_1$, so that the respective cut size $c(V_1)$ is related to the underlying energy $E(\mathbf{y})$. Thus the energy function (4) can be expressed in terms of cut size (7) as follows:

$$\begin{aligned}
E(\mathbf{y}) &= -\frac{1}{2} \sum_{i,j \in V} w(i, j) y_i y_j = \\
&= -\frac{1}{2} \sum_{y_i = y_j} w(i, j) + \frac{1}{2} \sum_{y_i \neq y_j} w(i, j) + \frac{1}{2} \sum_{y_i \neq y_j} w(i, j) - \frac{1}{2} \sum_{y_i \neq y_j} w(i, j) = \\
&= -\frac{1}{2} \sum_{i,j \in V} w(i, j) + \sum_{y_i \neq y_j} w(i, j) = -\frac{1}{2} \sum_{w(i,j) < 0} w(i, j) - \frac{1}{2} \sum_{w(i,j) > 0} w(i, j) + \\
&\quad + \sum_{y_i \neq y_j} w(i, j) + \frac{1}{2} \sum_{w(i,j) > 0} w(i, j) - \frac{1}{2} \sum_{w(i,j) > 0} w(i, j) = \\
&= -\frac{1}{2} \sum_{w(i,j) < 0} w(i, j) + \frac{1}{2} \sum_{w(i,j) > 0} w(i, j) - \sum_{w(i,j) > 0} w(i, j) + \sum_{y_i \neq y_j} w(i, j) = \\
&= W + 2 \sum_{\{i,j\} \in A, c(\{i,j\}) < 0} c(\{i, j\}) - 2 \sum_{\{i,j\} \in A, i \in V_1, j \notin V_1} c(\{i, j\}) = \\
&= W - 2c(V_1). \tag{8}
\end{aligned}$$

It follows from (8) that the minimum energy state corresponds to the maximum cut.

Now, the approximate polynomial time algorithm from (Goemans and Williamson, 1995) can be employed to solve an instance $G = (V, A)$; c of the *MAX CUT* problem which provides a cut V_1 whose size $c(V_1) \geq \alpha c^*$ is guaranteed to be at least $\alpha = 0.87856$ times the maximum cut size c^* . Let cut V_1 correspond to the Hopfield network state \mathbf{y} which implies $c(V_1) = 1/2(W - E(\mathbf{y}))$ from (8). Hence, we get a guarantee $W - E(\mathbf{y}) \geq \alpha(W - E^*)$ where E^* is the minimum energy corresponding to the maximum cut c^* which leads to $E(\mathbf{y}) - E^* \leq (1 - \alpha)(W - E^*)$. Since $|E^*| \leq W$, we obtain the desired guarantee for the absolute error $E(\mathbf{y}) - E^* \leq (1 - \alpha)2W < 0.243W$. \square

5.2 Hardness Result for Analog Nets

In this subsection we consider the MIN ENERGY(σ) problem for analog Hopfield nets with general activation function σ . The energy function (4) can be generalized for analog networks with non-negative feedbacks $w_{jj} \geq 0$ ($j = 1, \dots, n$) as follows (Koiran, 1994):

$$E_\sigma(\mathbf{y}) = -\frac{1}{2} \sum_{j=1}^n \sum_{i=1}^n w_{ji} y_i y_j - \sum_{j=1}^n w_{j0} y_j + \sum_{j=1}^n \int_0^{y_j} \sigma^{-1}(y) dy \quad (9)$$

where the activation function σ is continuous and strictly increasing on an interval $[\alpha, \beta]$ ($\alpha < \beta$, with possibly $\alpha = -\infty$ or $\beta = +\infty$), and constant outside, i.e.

$$\sigma(\xi) = \begin{cases} a & \text{for } \xi \leq \alpha \\ b & \text{for } \xi \geq \beta. \end{cases} \quad (10)$$

For $\alpha = -\infty$ or $\beta = +\infty$, we require that $\lim_{\xi \rightarrow -\infty} \sigma(\xi) = a$ or $\lim_{\xi \rightarrow +\infty} \sigma(\xi) = b$, respectively. The inverse function σ^{-1} in (9) may not be defined on the whole interval $[0, y_j]$; in that case we assign it to zero outside of (a, b) . In the sequel, we shall also assume that σ is differentiable on (α, β) (thus we know that $\sigma'(\xi) > 0$ for $\xi \in (\alpha, \beta)$), and that the respective integrals in (9) are bounded, i.e.

$$\sup_{y_j \in [a, b]} \left| \int_0^{y_j} \sigma^{-1}(y) dy \right| < I_\sigma, \quad (11)$$

where $0 < I_\sigma < +\infty$. These conditions are satisfied by all the commonly used continuous activation functions (e.g. the hyperbolic tangent and the saturated-linear map).

The decision version of the *MIN ENERGY*(σ) problem for analog Hopfield nets is the question whether a given analog network possesses a state $\mathbf{y} \in [a, b]^n$ for which the energy $E_\sigma(\mathbf{y})$ has value less than a given constant K . Similarly as in the proof of Theorem 3, we shall show this problem to be NP-hard by reduction from the *SIMPLE MAX CUT* problem which is known to be NP-complete (Garey et al., 1976). In *SIMPLE MAX CUT* we are given an undirected graph $G = (V, A)$ and a positive integer k , and we want to decide whether there exists a cut $V_1 \subseteq V$ whose size $c(V_1) = |\{e \in A; e \cap V_1 \neq \emptyset\}|$ (corresponding to constant unit cost in *MAX CUT*) is at least k . The idea of the proof is to exploit the reduction from the bipolar case by forcing the analog energy (9) to achieve its minimum at a state close to one of the extremal points $\{a, b\}^n$ of the state space. For this purpose we prove the following lemma concerning a saturation tendency of analog symmetric networks with large positive feedbacks.

Lemma 1 *Let (η, ϑ) be an interval in which $\delta = \inf_{\xi \in (\eta, \vartheta)} \sigma'(\xi) > 0$ (i.e. σ is certainly not saturated on (η, ϑ)) and let $w_{jj} > 1/\delta$ for every $j = 1, \dots, n$. If $\mathbf{y}^* = (y_1^*, \dots, y_n^*) \in [a, b]^n$ is a local minimum of energy function (9) then $y_j^* \notin (\sigma(\eta), \sigma(\vartheta))$ for every $j = 1, \dots, n$.*

Proof: Suppose that $\mathbf{y}^* \in [a, b]^n$ is a local minimum of energy function (9). Clearly, $y_j^* \notin (\sigma(\eta), \sigma(\vartheta))$ for $y_j^* \in \{a, b\}$. For $y_j^* \in (a, b)$ consider function $E_j(y) = E_\sigma(y_1^*, \dots, y_{j-1}^*, y, y_{j+1}^*, \dots, y_n^*)$ of one variable y . Thus, $E_j'(y_j^*) = 0$ and

$$E_j''(y_j^*) = \frac{\partial^2 E_\sigma}{\partial y_j^2}(\mathbf{y}^*) = -w_{jj} + \frac{1}{\sigma'(y_j^*)} \geq 0 \quad (12)$$

since \mathbf{y}^* is a local minimum of E_σ . It follows from (12) that $w_{jj} \leq 1/\sigma'(y_j^*)$, and hence $y_j^* \notin (\sigma(\eta), \sigma(\vartheta))$. \square

Now, we shall prove the hardness result for analog *MIN ENERGY*(σ) problem which seems to be the first formal verification of this fact although (continuous-time) analog Hopfield nets have often been exploited to heuristically solve hard optimization problems (Hopfield and Tank, 1985; Aarts and Korst, 1989; Liao, 1999; Mańdziuk, 2000; Sheu et al., 1991; Wu and Tam, 1999).

Theorem 4 *The *MIN ENERGY*(σ) problem for analog Hopfield nets is NP-hard.*

Proof: We reduce the *SIMPLE MAX CUT* problem to *MIN ENERGY*(σ). Given a *SIMPLE MAX CUT* instance $G = (V, A)$; k with $n = |V|$ vertices and $m = |A|$ edges, a corresponding *MIN ENERGY*(σ) instance, i.e. an analog Hopfield net N with activation function σ and a prescribed energy level K , is constructed in polynomial time. The architecture of N is G , except that each neuron in N has an additional feedback connection. The weights and biases of N are defined as follows:

$$w_{ji} = \begin{cases} \frac{-8C}{(b-a)^2} & \text{for } \{i, j\} \in A \\ u & \text{for } i = j \end{cases} \quad j = 1, \dots, n, \quad (13)$$

$$w_{j0} = \frac{4C(a+b)\text{deg}_G(j)}{(b-a)^2} \quad (14)$$

where $\text{deg}_G(j) = |\{i \in V; \{i, j\} \in A\}|$ is the degree of vertex j in G ,

$$C = \left| n \left(I_\sigma - \frac{u}{2} \max(|a|^2, |b|^2) \right) \right|, \quad (15)$$

and u is chosen so that

$$u > \frac{1}{\delta} \quad \text{where} \quad \delta = \inf_{\xi \in (\sigma^{-1}(a+\varepsilon), \sigma^{-1}(b-\varepsilon))} \sigma'(\xi) > 0 \quad (16)$$

and $\varepsilon > 0$ satisfies

$$\varepsilon < \frac{b-a}{8m}. \quad (17)$$

Finally, the energy level is prescribed as

$$K = 2C \left(-2k + 1 - \frac{4abm}{(b-a)^2} \right). \quad (18)$$

In the proof of Theorem 3 the reduction from *MIN ENERGY* to *MAX CUT* is actually the one-to-one correspondence and the respective inverse reduction from *MAX CUT* to *MIN ENERGY*, e.g. restricted even to *SIMPLE MAX CUT* instances, provides an NP-completeness proof for bipolar Hopfield nets. As we have mentioned above we exploit this approach by reducing the underlying analog minimum energy problem to the bipolar case. For this purpose the following linear transformation of the analog neuron state $y_j \in [a, b]$ to $y'_j \in [-1, 1]$ which preserves the network weights except for biases (Parberry, 1994), is employed:

$$y'_j = \frac{2(y_j - a)}{b - a} - 1. \quad (19)$$

With this transformation the energy function (9) can be rewritten as

$$E_\sigma(\mathbf{y}) = 2C \left(-\frac{1}{2} \sum_{j=1}^n \sum_{i=1, i \neq j}^n w'_{ji} y'_i y'_j - \left(\frac{a+b}{b-a} \right)^2 m \right) + \sum_{j=1}^n \int_0^{y_j} \sigma^{-1}(y) dy - \frac{1}{2} \sum_{j=1}^n w_{jj} y_j^2 \quad (20)$$

where the introduced weights

$$w'_{ji} = \begin{cases} -1 & \text{for } \{i, j\} \in A \\ 0 & \text{otherwise} \end{cases} \quad (21)$$

coincide with those from the bipolar case.

Furthermore, consider a local minimum $\mathbf{y}^* = (y_1^*, \dots, y_n^*) \in [a, b]^n$ of energy E_σ . It follows from Lemma 1 whose assumptions are satisfied by (16) that $y_j^* \in [a, a + \varepsilon] \cup [b - \varepsilon, b]$ for every $j = 1, \dots, n$. Hence, $y_j^{*'} \in [-1, -1 + 2\varepsilon/(b - a)] \cup [1 - 2\varepsilon/(b - a), 1]$ which implies

$$|y_i^{*'} y_j^{*'}| > 1 - \frac{4\varepsilon}{b - a}. \quad (22)$$

We introduce bipolar states $\bar{y}_j^* \in \{-1, 1\}$ into (20) by rounding the corresponding analog ones, i.e. $\bar{y}_j^* = -1$ for $y_j^{*'} \in [-1, -1 + 2\varepsilon/(b - a)]$ and $\bar{y}_j^* = 1$ for $y_j^{*'} \in [1 - 2\varepsilon/(b - a), 1]$ ($j = 1, \dots, n$). By using (22), (21) and (17) the rounding error for the underlying term in (20) can be estimated for local minimum \mathbf{y}^* as follows:

$$\left| -\frac{1}{2} \sum_{j=1}^n \sum_{i=1, i \neq j}^n w'_{ji} (\bar{y}_i^* \bar{y}_j^* - y_i^{*'} y_j^{*'}) \right| < \frac{4\varepsilon m}{b - a} < \frac{1}{2}. \quad (23)$$

Also the absolute value of the second row of (20) can be upper bounded from (11) and (15):

$$\left| \sum_{j=1}^n \int_0^{y_j} \sigma^{-1}(y) dy - \frac{1}{2} \sum_{j=1}^n w_{jj} y_j^2 \right| < C. \quad (24)$$

Moreover, the result (8) for the bipolar case can here be applied in which the network weight W equals m now and V_1^* is the cut corresponding to bipolar network state $\bar{\mathbf{y}}^* = (\bar{y}_1^*, \dots, \bar{y}_n^*) \in \{-1, 1\}^n$. Thus, it follows from (23), (24) that the energy function value (20) at local minimum \mathbf{y}^* belongs to the following interval:

$$\begin{aligned} & 2C \left(m - 2c(V_1^*) - \frac{1}{2} - \left(\frac{a+b}{b-a} \right)^2 m \right) - C < \\ < E_\sigma(\mathbf{y}^*) < 2C \left(m - 2c(V_1^*) + \frac{1}{2} - \left(\frac{a+b}{b-a} \right)^2 m \right) + C \end{aligned} \quad (25)$$

which can be rewritten as

$$\begin{aligned} & 2C \left(-2c(V_1^*) - 1 - \frac{4abm}{(b-a)^2} \right) < \\ & < E_\sigma(\mathbf{y}^*) < 2C \left(-2c(V_1^*) + 1 - \frac{4abm}{(b-a)^2} \right). \end{aligned} \quad (26)$$

According to (26) the analog energy value $E_\sigma(\mathbf{y}^*)$ at local minimum \mathbf{y}^* determines uniquely the integer cut size $c(V_1^*)$ of cut V_1^* associated with $\bar{\mathbf{y}}^*$.

Now, the correctness of the reduction from *SIMPLE MAX CUT* to *MIN ENERGY*(σ) can easily be verified. Suppose there exists a cut V_1 of G whose size is at least k . Then the energy (20) of the corresponding analog state $\mathbf{y} \in \{a, b\}^n$ of N , which is defined as $y_j = b$ for $j \in V_1$ and $y_j = a$ for $j \in V \setminus V_1$, can be upper bounded by using (8), (24) as follows:

$$E_\sigma(\mathbf{y}) < 2C \left(m - 2k - \left(\frac{a+b}{b-a} \right)^2 m \right) + C < K. \quad (27)$$

On the other hand, assume that an analog state $\mathbf{y} \in [a, b]^n$ of N with energy $E_\sigma(\mathbf{y}) < K$ exists. Then there is also a local minimum $\mathbf{y}^* \in [a, b]^n$ of E_σ with energy $E_\sigma(\mathbf{y}^*) \leq E_\sigma(\mathbf{y}) < K$. It follows from (18) and (26) that $c(V_1^*) \leq k$. \square

6 Turing Universality of Finite Analog Hopfield Nets

In this section we deal with the computational power of finite *analog-state* discrete-time recurrent neural networks with the saturated-linear activation function (3). For asymmetric analog networks, the computational power is known to increase with the Kolmogorov complexity of their real weights (Balcázar et al., 1997). With integer weights such networks are equivalent to finite automata (Horne and Hush, 1996; Indyk, 1995; Šíma and Wiedermann, 1998), while with rational weights arbitrary Turing machines can be simulated (Indyk, 1995; Siegelmann and Sontag, 1995). With arbitrary real weights such networks can even have ‘super-Turing’ computational capabilities, so that e.g. polynomial time computations correspond to the complexity class P/poly and *all* languages can be recognized within exponential time (Siegelmann and Sontag, 1994). On the other hand, any amount of analog noise reduces the computational power of this model to that of finite automata (Casey, 1996; Maass and Orponen, 1998).

For finite symmetric networks, only the computational power of binary-state Hopfield nets has been fully characterized. Namely, they recognize the so-called Hopfield languages (Šíma, 1995), which form a proper subclass of regular languages; hence such networks are less powerful than finite automata. Hopfield languages can also be faithfully recognized by analog symmetric neural networks (Maass and Orponen, 1998; Šíma, 1997), and this provides a lower bound on the computational power of such networks. A natural question then concerns improvements of this lower bound: could this model too be Turing universal, i.e. can a Turing machine simulation be achieved with symmetric networks and rational weights similarly as in the asymmetric case (Indyk, 1995; Siegelmann and Sontag, 1995)?

The main obstacle here is that under fully parallel updates any analog Hopfield net with rational weights converges to a limit cycle of length at most two (Koiran, 1994). Thus the only possibility of simulating Turing machines would be to exploit finer and finer distinctions among a sequence of rational network states converging to a limit cycle. Such a simulation seems to be tricky at best, if possible at all.

A more reasonable approach is to augment the network with an external clock that produces an infinite sequence of binary pulses, thus providing it with an “energy source” for e.g. simulating an asymmetric analog network similarly as in Theorem 1. Indeed, we now prove that the computational power of analog Hopfield nets with an external clock is the same as that of asymmetric analog networks. Especially for rational weights, this implies that such networks are Turing universal. The following theorem also fully characterizes those infinite binary sequences by the external clock which prevent the Hopfield network from converging. This way we obtain a complete theoretical characterization of the symmetry of weights in analog Hopfield nets in the sense that computational power of analog asymmetric networks equals that of symmetric ones plus oscillator of a certain type.

Theorem 5 *Let N' be an analog-state recurrent neural network with real asymmetric weights and n neurons working in fully parallel mode. Then there exists an analog Hopfield net N with $3n + 8$ units whose real weights have the same maximum Kolmogorov complexity as the weights in N' , and which simulates N' , provided it receives as an additional external input any infinite binary sequence that contains infinitely many substrings of the form $b\bar{b} \in \{0, 1\}^3$ where $b \neq \bar{b}$. Moreover, the external input must have this property to prevent N from*

converging.

Proof: First observe that an infinite binary sequence produced by the external input (clock) c that does not satisfy the assumption of the theorem must be of the form $\mathbf{u}(b_1b_2)^*$ where $b_1, b_2 \in \{0, 1\}$, and $\mathbf{u} \in \{0, 1\}^*$ is a prefix which clearly cannot prevent the network from converging to a limit cycle of length two. On the other hand we shall prove that if the sequence meets the respective condition, then it must contain infinitely many substrings of the form $1x0$ ($x \in \{0, 1\}$) since these strings necessarily accompany infinitely many substrings $0x1$. Thus consider two subsequent occurrences of $0x1$. For $x = 1$, after 011 possibly followed by several 1's, at least one 0 must appear due to the next $0x1$ which gives 110 as required. For $x = 0$, the string 001 is followed either by a 1 which means the previous case with 011 applies, or by a 0 possibly succeeded by several occurrences of 10 , which is followed either by a desired 0 or by 11 which again leads to 011 .

The symmetric simulation of an asymmetric network N' consisting of n analog neurons is very similar to the binary one (see Theorem 1). Thus each neuron j in N' is simulated by 3 units p_j, q_j, r_j which are controlled by other 3 central neurons f, g, h (corresponding to c_0, \bar{c}_0 in the binary case) whose binary states are generated by a small symmetric subnetwork of 5 auxiliary units a, d, e, r, s transforming the binary external input signal from c to a well-controlled binary sequence. This gives the desired $3n+8$ units of the simulating analog Hopfield net N . The situation is depicted in Figure 3, including the definition of the symmetric weights, where U is introduced in (6), and $B = (4W + 1)n + 7$ in this case.

Every binary external input bit is copied from clock c to r and further to s and therefore the states of these neurons s, r, c store the last 3 bits of the input sequence, respectively. Neuron a detects the underlying strings of the form $1x0$ ($x \in \{0, 1\}$) at the input, i.e. it is active iff s is active and c is passive. It may happen that two such strings follow each other immediately (also notice that it is impossible for such a string to appear again at the next step but one). This case is indicated by the activity of both neurons a, d where d copies the state from a . Thus unit e copies the state 1 from a iff d is passive. Hence, the neuron e produces a “noiseless” sequence of zeros containing infinitely many substrings 100 , each being exploited for the simulation of one computational step of N' similarly as in the proof of Theorem 1.

Namely, q_j stores the old analog state $y_j^{(t-1)}$ by its unit feedback according




Figure 3: Analog symmetric simulation of analog neuron j

to (3) and also h remains initially active preserving the stability of p_j, q_j, r_j . After e fires, the unit h becomes passive and f is active, which controls the computation of a new analog state $y_j^{(t)}$ by p_j via the original weights $w(q_i, p_j) = w'(i, j)$ and the bias $w(f, p_j) = w'(0, j)$. Then the control signal is further copied from f to g , which enables r_j to receive the state $y_j^{(t)}$. Finally, h becomes active and the state of q_j is updated by $y_j^{(t)}$, and this is kept until e fires again to proceed to the next simulation step. \square

7 Conclusions

With the results presented in this paper, we now seem to have developed quite a good understanding of the computational properties of discrete-time symmetric Hopfield nets. It is somewhat surprising that these networks turn out to be computationally essentially as powerful as general asymmetric networks, despite their Liapunov-function constrained dynamics. As we have seen, in the binary-state case symmetric networks can simulate asymmetric ones with only a linear increase in the network size (Section 3), and in the analog-state case also finite symmetric networks are Turing universal, provided they are supplied with a simple external clock to prevent them from converging (Section 6). In addition, we have verified that the *MIN ENERGY* problem remains NP-hard also for analog networks (Section 5), a fact which is not immediately obvious

because of the possibility of analog networks to converge to states in the interior of the state space, complicating the combinatorial coding necessary for NP-hardness proofs.

It is also interesting to note that analog networks can in some cases be more efficient with respect to their encoding size than binary ones (Section 4). This result suggests that analog models of computation may be worth investigating more for their efficiency gains than for their (theoretical) capability for arbitrary-precision real number computation. Very little is presently known about the computational complexity aspects of analog computation, and the area clearly merits more intensive study.

References

- Aarts, E. and Korst, J. (1989). *Simulated Annealing and Boltzmann Machines*. J. Wiley and Sons, Chichester.
- Ackley, D. H., Hinton, G. E., and Sejnowski, T. J. (1985). A learning algorithm for Boltzmann machines. *Cognitive Science*, 9:147–169.
- Balcázar, J. L., Díaz, J., and Gabarró, J. (1995). *Structural Complexity*, volume I. Springer-Verlag, Berlin, 2nd edition.
- Balcázar, J. L., Gavaldà, R., and Siegelmann, H. T. (1997). Computational power of neural networks: A characterization in terms of Kolmogorov complexity. *IEEE Transactions of Information Theory*, 43:1175–1183.
- Barahona, F. (1982). On the computational complexity of Ising spin glass models. *Journal of Physics A*, 15:3241–3253.
- Bertoni, A. and Campadelli, P. (1994). On the approximability of the energy function. In *Proceedings of the ICANN'94 conference (Sorrento, Italy, May)*, pages 1157–1160. Springer-Verlag.
- Bertoni, A., Campadelli, P., Gangai, C., and Posenato, R. (1997). Approximability of the ground state problem for certain Ising spin glasses. *Journal of Complexity*, 13:323–339.
- Bieche, I., Maynard, R., Rammal, R., and Uhry, J. P. (1980). On the ground states of the frustration model of a spin glass by a matching method of graph theory. *Journal of Physics A*, 13:2553–2576.

- Casey, M. (1996). The dynamics of discrete-time computation, with application to recurrent neural networks and finite state machine extraction. *Neural Computation*, 8:1135–1178.
- Chiueh, T.-D. and Goodman, R. (1988). A neural network classifier based on coding theory. In Anderson, D., editor, *Proceedings of the 1987 IEEE Conference on Neural Information Processing Systems—Natural and Synthetic (Denver, CO, November)*, pages 174–183. New York: American Institute of Physics.
- Farhat, N. H., Psaltis, D., Prata, A., and Paek, E. (1985). Optical implementation of the Hopfield model. *Applied Optics*, 24:1469–1475.
- Floréen, P. (1991). Worst-case convergence times for Hopfield memories. *IEEE Transactions on Neural Networks*, 2:533–535.
- Floréen, P. and Orponen, P. (1994). Complexity issues in discrete Hopfield networks. Research Report A–1994-4, Department of Computer Science, University of Helsinki.
- Garey, M. R., Johnson, D. S., and Stockmeyer, L. (1976). Some simplified NP-complete graph problems. *Theoretical Computer Science*, 1:237–267.
- Goemans, M. X. and Williamson, D. P. (1995). Improved approximation algorithms for maximum cut and satisfiability problems using semidefinite programming. *Journal of the ACM*, 42:1115–1145.
- Gold, B. (1986). Hopfield model applied to vowel and consonant discrimination. In Denker, J., editor, *Neural Networks for Computing (Snowbird, UT, April)*, volume 151 of *AIP Conference Proceedings*, pages 158–164. New York: American Institute of Physics.
- Goles, E., Fogelman, F., and Pellegrin, D. (1985). Decreasing energy functions as a tool for studying threshold networks. *Discrete Applied Mathematics*, 12:261–277.
- Goles, E. and Martínez, S. (1989). Exponential transient classes of symmetric neural networks for synchronous and sequential updating. *Complex Systems*, 3:589–597.

- Goles, E. and Matamala, M. (1996). Symmetric discrete universal neural networks. *Theoretical Computer Science*, 168:405–416.
- Haykin, S. (1999). *Neural Networks: A Comprehensive Foundation*. Prentice-Hall, Upper Saddle River, NJ, 2nd edition.
- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. In *Proceedings of the National Academy of Sciences*, volume 79, pages 2554–2558.
- Hopfield, J. J. (1984). Neurons with graded response have collective computational properties like those of two-state neurons. In *Proceedings of the National Academy of Sciences*, volume 81, pages 3088–3092.
- Hopfield, J. J. and Tank, D. W. (1985). “Neural” computation of decisions in optimization problems. *Biological Cybernetics*, 52:141–152.
- Horne, B. G. and Hush, D. R. (1996). Bounds on the complexity of recurrent neural network implementations of finite state machines. *Neural Networks*, 9:243–252.
- Indyk, P. (1995). Optimal simulation of automata by neural nets. In *Proceedings of the 12th Annual Symposium on Theoretical Aspects of Computer Science (Munich, March)*, volume 900 of *LNCS*, pages 337–348. Springer-Verlag.
- Koiran, P. (1994). Dynamics of discrete time, continuous state Hopfield networks. *Neural Computation*, 6:459–468.
- Komlós, P. and Paturi, R. (1988). Convergence results in an associative memory model. *Neural Networks*, 1:239–250.
- Kosko, B. (1988). Bidirectional associative memories. *IEEE Transactions on Systems, Man, and Cybernetics*, 18:49–60.
- Liao, L.-Z. (1999). A recurrent neural network for N -stage optimal control problems. *Neural Processing Letters*, 10:195–200.
- Maass, W. and Orponen, P. (1998). On the effect of analog noise in discrete-time analog computations. *Neural Computation*, 10:1071–1095.

- Mahajan, S. and Ramesh, H. (1995). Derandomizing semidefinite programming based approximation algorithms. In *Proceedings of the 36th Annual Symposium on Foundations of Computer Science (Milwaukee, WI, October)*, pages 162–163. IEEE, Los Alamitos, California.
- Mańdziuk, J. (2000). Optimization with the Hopfield network based on correlated noises: Experimental approach. *Neurocomputing*, 30:301–321.
- Orponen, P. (1996). The computational power of discrete Hopfield nets with hidden units. *Neural Computation*, 8:403–415.
- Parberry, I. (1994). *Circuit Complexity and Neural Networks*. MIT Press, Cambridge.
- Park, J., Cho, H., and Park, D. (1999). On the design of BSB neural associative memories using semidefinite programming. *Neural Computation*, 11:1985–1994.
- Pawlicki, T., Lee, D.-S., Hull, J., and Srihari, S. (1988). Neural networks and their application to handwritten digit recognition. In *Proceedings of the IEEE International Conference on Neural Networks (San Diego, CA, July)*, volume II, pages 63–70.
- Poljak, S. and Sura, M. (1983). On periodical behaviour in societies with symmetric influences. *Combinatorica*, 3:119–121.
- Rojas, R. (1996). *Neural Networks: A Systematic Introduction*. Springer-Verlag, Berlin.
- Sheu, B., Lee, B., and Chang, C.-F. (1991). Hardware annealing for fast-retrieval of optimal solutions in Hopfield neural networks. In *Proceedings of the IEEE International Joint Conference on Neural Networks (Seattle, July)*, volume II, pages 327–332.
- Siegelmann, H. T. (1999). *Neural Networks and Analog Computation: Beyond the Turing Limit*. Birkhäuser, Boston.
- Siegelmann, H. T. and Sontag, E. D. (1994). Analog computation via neural networks. *Theoretical Computer Science*, 131:331–360.
- Siegelmann, H. T. and Sontag, E. D. (1995). Computational power of neural networks. *Journal of Computer System Science*, 50:132–150.

- Siu, K.-Y., Roychowdhury, V., and Kailath, T. (1995). *Discrete Neural Computation: A Theoretical Foundation*. Prentice Hall, Englewood Cliffs.
- Šíma, J. (1995). Hopfield languages. In *Proceedings of the 22nd SOFSEM Seminar on Current Trends in Theory and Practice of Informatics (Milovy, Czech Republic, November)*, volume 1012 of *LNCS*, pages 461–468. Springer-Verlag.
- Šíma, J. (1997). Analog stable simulation of discrete neural networks. *Neural Network World*, 7:679–686.
- Šíma, J. and Orponen, P. (2000). A continuous-time Hopfield net simulation of discrete neural networks. In *Proceedings of NC'2000: Second International ICSC Symposium on Neural Computing (Berlin, May)*. To appear.
- Šíma, J., Orponen, P., and Antti-Poika, T. (1999). Some afterthoughts on Hopfield networks. In *Proceedings of the 26th SOFSEM Seminar on Current Trends in Theory and Practice of Informatics (Milovy, Czech Republic, November)*, volume 1725 of *LNCS*, pages 459–469. Springer-Verlag.
- Šíma, J. and Wiedermann, J. (1998). Theory of neuromata. *Journal of the ACM*, 45:155–178.
- Wegener, I. (1987). *The Complexity of Boolean Functions*. Wiley/Teubner, Chichester.
- Wiedermann, J. (1994). Complexity issues in discrete neurocomputing. *Neural Network World*, 4:99–119.
- Wu, A. and Tam, P. K. S. (1999). A neural network methodology of quadratic optimization. *International Journal of Neural Systems*, 9:87–93.